

Thermoelectric cooling unit TG 6405303



Product Features

Brand Name:	SoliTherm Peltier
Order Number:	6405303
Housing Material:	Stainless steel AISI 304 (V2A)
IP class EN 60529:	IP 66 NEMA 4X
Optional:	Stainless Steel 316 with Chromated heatsinks, P/N: 64053034
Approvals:	CE, RoHS
Accessories:	Condensate Kit
Taric Code:	84158300

Technical data TG 6405303


Cooling capacity L35L35:	400 W
Temperature range:	-20°C - +65°C
Air volume flow:	Ambient air circuit: 240 m ³ /h Cabinet air circuit: 240 m ³ /h
Mounting:	recessed
Dimension HxWxD:	600 x 432 x 140.5 (61.5) mm
Weight:	34 kg
Voltage / Frequency:	120 - 230 V ~ 50/60 Hz
Current L35L35:	4.0 A @ 120 V 2.1 A @ 230 V
Max. current:	5.6 A @ 120 V 3 A @ 230 V
Nominal power L35L35:	482 W
Max. power:	660W
Fuse:	10 A (T) @ 120 V 5 A (T) @ 230 V
Connection:	8-Pole Connector

Please click on the graphics to download.

More CAD drawings can be found under [Product Download](#).


> [Overview product group Cabinet cooling units - Peltier](#)

Performance Graph:



click image to enlarge

Cut out dimensions:



click image to enlarge